

Test Report

No. AJHL1612014384FB

Date: DEC.29, 2016

Page 1 of 3

POSTER AND PANEL S.L.

P.I Plans de la Sala, C/Plans de la Sala 28, 08650 Sallent, Spain

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description: Textile Beach Flag FR Sub 110gr

Test Requested:

Determine the flame resistance in accordance with test method 1 of NFPA 701:2015 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films

Test Results: -- See attached sheet --

Conclusion: The tested sample "As received" meets the requirements of Test Method 1 of NFPA

701:2015.

Test Period:

Sample Receiving Date : DEC.22, 2016

Test Performing Date : DEC.22, 2016 TO DEC.28, 2016

Signed for and on behalf of SGS-CSTC Co., Ltd. Anji Branch

Allen Zou

Technical Manager





Test Report

No. AJHL1612014384FB

Date: DEC.29, 2016

Page 2 of 3

I. Test Conducted

This test was conducted in accordance with test method 1 of NFPA 701:2015 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films.

II. Details of tested sample

Sample description / Color	Textile Beach Flag FR Sub 110gr / White		
Area density	130 g/m ²		
Products configuration	Single Layer		
Size of sample *	150 mm × 400 mm 10pcs		

^{*} With the length parallel to the lengthwise direction of the material

III. Conditioning

Prior to testing, the sample was conditioned at least 30 minutes at 105 °C±3 °C (220 °F±5 °F)

IV. Test results

Specimen No.	Mass before test (g)	Mass after test (g)	Mass loss (%)	After flame time (s)	Burning time on floor (s)
1	7.88	7.19	8.76	0	0
2	7.83	6.46	17.50	0	0
3	7.80	6.28	19.49	0	0
4	7.78	6.93	10.93	0	0
5	7.90	6.54	17.22	0	0
6	7.81	6.66	14.72	0	0
7	7.88	6.74	14.47	0	0
8	7.84	6.59	15.94	0	0
9	7.91	6.74	14.79	0	0
10	7.85	6.35	19.11	0	0
Mean	7.85	6.65	15.29	0	0

SD = 3.4 3SD = 10.2 SD – Standards deviation Mean + 3SD =25.49

To be continued....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx.and.for-feed-tronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein Any holder of this document! advised that information contained hereon reflects the Company's indigns at the time of its intervention only and within the limits of the company and the service of the company is findings at the time of its intervention only and within the limits of the company and the service of the s



Test Report

No. AJHL1612014384FB

Date: DEC.29, 2016 Page 3 of 3

Observations:

Vigorousness of burning	No
Material molten dripping	Yes
Odor smoke	Yes

Criteria for test method 1 (Chapter 10):

- 1. Fragments or residues of specimens that fall to the floor of the test chamber shall not continue to burn for more than an average of 2 seconds per specimen for the sample of 10 specimen.
- 2. The average weight loss of the 10 specimen in a sample shall be 40 percent or less.
- No individual specimen's percent mass loss shall deviate more than 3 standard deviations from the mean for the 10 specimens.
- 4. When a retest is required, no individual specimen's percent mass loss in the second set of specimens shall deviate from the mean value by more than 3 standard deviations calculated for the second set.
- 5. When a sample does not demonstrate passing performance in accordance with all of the conditions indicated above, the material shall be recorded as having failed Test Method 1.

Photo Appendix:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx.and.for electronic Portmat documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction insues defined therein and writing the desired that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of transaction form exercising all their fights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, foregry or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the xu. Unless otherwise stated the results shown in this test report refer only to the sample(a) tested and such sample(a) are retained for 30 days only.

Alteration:To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (85-75) 830